

5 Seconds Rapid Bactericidal



Revolutionary Ozone Spray Bottle Pro


Adding only water and with the press of one button Ideal alternative to other chemical sanitizers











Chemical-Free

The 2nd generation handheld rechargeable Professional Ozone Spray Bottle (OSB Pro) applies revolutionary electrolysis technology that can convert your regular tap water into an anti-bacterial sanitizing water. This revolutionary technology can help replace conventional chemical surface sanitizers. Simply fill the bottle with clean tap water, press the button, and the device will instantly convert ordinary water into ozonated water.

Small Size, High Performance

Ozonated water is well-known for its fast and **powerful** sanitation performance. This ozone sprayer offers an effective, safe, and environmentally friendly surface sanitation for many commercial hygiene applications.











Wayne Simmons, DMD

"My recent personal and professional practice experience utilizing aqueous ozone from BES Group has been extraordinarily positive and beneficial to our patients, our staff, and to myself. It is a remarkable technology that will be welcomed into dental practices, medical offices, hospitals, nursing facilities, food and beverage, recreational facilities, worldwide."

Only needs water and

It does not change the

USB-C charging

Two-stage mode to

Strong and sturdy

metal body

meet various applications

Plug and play

water pH

electricity No additional costs

United States - Prosthodontist, ACP, Diplomate ABOI

With only a single press of one button

99.99%

Third-party measured sanitize rate

5 seconds **Achieve 99.99%** sanitize rate

ZERO Chemical residues 3000 times

Sanitizes faster than chlorine

25 minutes

Maintains the concentration of ozone water time

12000 times Service life



150 ml (0.04 gal)

Focus Points



Rapidly Inactivated SARS-CoV-2



Hand sanitation



Surface sanitation



For Catering

- Hotels
 - Coffee and tea : Hospitals
- Restaurants Bars



For Health Care

- Kindergartens Nursing Homes



For Public Places

- Gyms Schools
- Offices Cleaning company



Added the approval to use ozone water as a food surface bactericide in its food specification.




Specifications

Model No.	EOS7161-P
O ₃ Concentration*	3.0 ppm (Mode1: 5 min. & Mode2: 25 min.)
Reservoir Size	150 ml (0.04 gal); covers 30 m ²
Charging Time	60 minutes, Can generate up to 1800 ml or 12 bottles per charge
Water Quality	Clean tap water**
Water Temperature	5-35°C (41-95°F)
Ambient Temperature	5-40°C (41-104°F)
Rechargable Battery	Li-polymer Battery, 3.7V/1200mAh
Charger Input	Input : 100-240V AC, 50/60Hz Output : 5V/1A DC
Dimensions	Ф53 x 254.8mm (Ф2.1 x 10.0 in)
Weight	308g (0.68 lbs) ± 1%
Life Span	> 2 year (8 bottles uses/day)

^{*} Tested with soft clean water (TDS pprox 100 ppm, temperature pprox 25°C) Ozone concentration varies depending on conditions such as water quality or temperature.

About Us

Since 1988, BES Group has been the global leader of electrolytic technology that converts water to ultra-pure ozone and hydrogen. Products applications include Food Safety, Ice & Beverage, Dentistry, Healthcare, Professional Laundry, Professional Cleaning, Maritime, and Home Sanitation & Wellness. All products and components are tested for high performance, safety, efficacy and reliability with certifications from government agencies and leading 3rd party labs.







US 8.308.914 B2, US 9.757.697 B2, US 9.248.208 B2

North America

BIOSURE North America, LLC.

2020 Babcock Rd., Ste. 25 San Antonio, Texas 78229 USA www.biosureozone.com

Shanghai Zhongte Environmental Technology Co., LTD Unit 205, 998 Shenbin South Road, Minhang District, Shanghai, 201106 China www.biosurepro.com

Taiwan

Biotek Environmental Science Ltd.

5F, 98 Xingde Rd, Sanchung Dist, New Taipei, 24158 Taiwan www.besgroups.com

Oceania

BES GROUP (AUST) PTY LTD.

Ground Floor, 737 Burwood Rd, Hawthorn, VIC 3122 Australia www.besgroups.com.au

Asia/Headquarters

Biotek Environmental Science Ltd. 5F, 98 Xingde Rd, Sanchung Dist, New Taipei, 24158 Taiwan www.besgroups.com

Factory ISO 9001 Certified Yantai United Ozonetec Corporation.

4F, 1 Wuzhishan Rd, ETDZ Yantai, Shandong 264006 China www.besgroup.com.cn





^{**}Potable water (TDS 60 - 200 ppm, Hardness < 180 ppm as CaCO₃). If hard water is used (hardness > 120 ppm CaCO₃;TDS > 250 ppm), regular cleaning with citric acid solution is recommended for maintaining performance.